



# Safety Data Sheet

## Long Sexy Hair Color Safe Luxurious Conditioner

### SECTION 1: IDENTIFICATION

SDS FIRST PREPARATION DATE: December 9, 2016

FORMULA: B16-109B

GENERIC/CHEMICAL NAME: N/A

PRODUCT TYPE/CHEMICAL FAMILY: Personal Care Product

PRODUCT CODE: SXY-002 REV-00

SYNONYMS: Sexy Hair – Long Sexy Hair Color Safe Luxurious Conditioner

CONTACT ADDRESS: Sexy Hair Concepts, LLC. 21551 Prairie St. Chatsworth, CA 91311

### EMERGENCY PHONE NUMBERS:

Chemtel – 1-800-255-3924

### SECTION 2: HAZARDS IDENTIFICATION

Hazard Classifications:	None
Pictograms:	None
Precautionary Statements:	None
Percent of the mixture consisting of ingredient(s) of unknown toxicity:	N/A

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Designation (INCI)	% Composition	CAS	EINECS
Aqua (Water, Eau)	≤ 80.00	7732-18-5	231-791-2
Behentrimonium Chloride	5-10	17301-53-0	241-327-0
Isopropyl Myristate	1-5	112-92-5	204-017-6
Dimethicone	1-5	107-52-8	205-491-7
Cetyl Esters	1-5	N/A	N/A
Glycerin	1-5	56-81-5	200-289-5
Cetyl Alcohol	1-5	36653-82-4	253-149-0
Fragrance	0.100-1.00	N/A	N/A
Trade Secret	0.010-1.00	N/A	N/A

### SECTION 4: FIRST AID MEASURES

#### Eyes:

If irritation or redness due to vapors develops, move victim away from exposure and into fresh air. If material gets into the eyes, flush eyes immediately with clean water for at least 15 minutes. If available, use eye-cups or eye wash fountain. If symptoms persist, get medical attention.

**Skin:**

If irritation develops / persists, get medical attention.

**Inhalation:**

If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, get medical attention. If victim is not breathing immediately begin artificial respiration. Get medical attention.

**Ingestion:**

Product is not likely to be ingested. If this occurs, treat systematically. Never give fluids or induce vomiting if the victim is unconscious or having convulsions.

**SECTION 5: FIRE FIGHTING MEASURES**

<b>Fire Hazard:</b>	Material may be ignited, for example in a fire. Relative hazard is anticipated to be the same as typical combustible materials. Use foam, carbon dioxide, and dry chemical or water spray when fighting fires.
<b>Flash Point F(C):</b>	N/A
<b>Flammable Limits:</b>	Product is not known to be flammable, combustible or explosive.
<b>Extinguishing Media:</b>	Use foam, carbon dioxide, and dry chemical or water spray when fighting fires
<b>Special protective Equipment and firefighting procedures:</b>	In case of fire, use normal firefighting equipment including a NIOSH approved self- contained breathing apparatus (SCBA). Use water to cool containers
<b>Unusual Fire &amp; Explosion:</b>	N/A

**SECTION 6: ACCIDENTAL RELEASE MEASURES****Personal**

**Precautions:** See Section 8

**Spills/ Leaks:**

**SPILL ON LAND (LARGE SPILL):** Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Minimize breathing of vapors and skin contact. Ventilate confined spaces. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses, or low areas. Contain spilled material with sand or earth. Do not use combustible materials such as sawdust. Observe precautions for volatile, combustible vapors from absorbed material. For large spills implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

**SPILL ON WATER (LARGE SPILL):** Eliminate sources of ignition. Warn occupants and shipping in surrounding and downwind areas of fire and explosion hazard and request all to stay clear. Remove from surface by skimming or scooping up floating material. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

**SMALL SPILLS:** Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

## **SECTION 7: HANDLING AND STORAGE**

**Handling** **STORAGE TEMPERATURE:** Ambient  
**LOADING/UNLOADING TEMPERATURE:** Ambient  
**STORAGE AND HANDLING:** Keep container closed. Handle and open containers with care. Store in a cool, well-ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers.

**Storage:** **STORAGE TEMPERATURE:** Ambient  
**LOADING/UNLOADING TEMPERATURE:** Ambient  
**STORAGE AND HANDLING:** Keep container closed. Handle and open containers with care. Store in a cool, well-ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers.

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

<b>OSHA Permissible Exposure Limits (PELs):</b>	N/A
<b>Threshold Limit Values (TLVs):</b>	N/A
<b>Exposure Limits:</b>	N/A
<b>Engineering Controls:</b>	N/A

### **Personal Protective Equipment:**

<b>Face:</b>	None required.
<b>Eyes:</b>	Not necessary, except as a good industrial practice.
<b>Skin:</b>	Not necessary, except as a good industrial practice.
<b>Respiratory:</b>	Not required.

**Pictograms:**



## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

<b>Appearance:</b>	Opaque Viscous Cream
<b>Odor:</b>	Herbal Floral
<b>pH value @ 25°C:</b>	3.50 – 4.50
<b>Melting Point F(C):</b>	N/A
<b>Freezing Point F(C):</b>	N/A
<b>Boiling Point F(C):</b>	N/A
<b>Boiling Range:</b>	N/A

Flash Point F(C):	N/A
Upper Flammability/Explosive Limit:	N/A
Lower Flammability/Explosive Limit:	N/A
Vapor Pressure:	N/A
Vapor Density:	N/A
Vapor Temperature:	N/A
Relative Density/Specific Gravity (@ 25°C):	0.95 – 1.00
Solubility:	N/A
Partition Coefficient:	N/A
Flash Point Method used:	N/A
Evaporation Rate:	N/A
Flammability:	N/A
Auto-ignition temperature:	N/A
Decomposition temperature:	N/A
Viscosity (@ 25°C):	15,000 – 30,000 cps (LVD # TF @ 10 rpm)

## **SECTION 10: STABILITY AND REACTIVITY**

Chemical Reactivity:	N/A
Chemical Stability:	Stable under normal conditions of storage
Conditions to Avoid:	Keep from freezing.
Materials to Avoid:	None known.
Hazardous Decomposition:	Will not occur.

## **SECTION 11: TOXICOLOGICAL INFORMATION**

### **Inhalation**

**Description of effects from short- and long-term exposure:**

Not known

**Description of symptoms:**

Not known

**Measure of toxicity:**

Not known

### **Ingestion**

**Description of effects from short- and long-term exposure:**

Not known

**Description of symptoms:**

Not known

**Measure of toxicity:**

Not known

### **Eyes**

**Description of effects from short- and long-term exposure:**

Not known

**Description of symptoms:**

Not known

**Measure of toxicity:**

Not Known

**Skin**

**Description of effects from short- and long-term exposure:**

Not known

**Description of symptoms:**

Not known

**Measure of toxicity:**

Not known

<b>NTP:</b>	Not Available
<b>IARC:</b>	Not Available
<b>OSHA:</b>	Not Available
<b>GHS:</b>	Not Available
<b>Chronic Toxicity:</b>	Not Available

**SECTION 12: ECOLOGICAL INFORMATION**

**Aquatic Toxicity:** Not Available

**Biodegradability:** Not Available

**Bioaccumulation:** Not Available

**SECTION 13: DISPOSAL CONSIDERATIONS**

All recovered material should be packaged, labeled, transported, disposed, and reclaimed in conformance with local, county, state, and federal regulations. May be disposed of by controlled incineration. Do not contaminate any lakes, streams, ponds, or underground water supplies.

Empty containers may be disposed of as normal refuse. Recycle whenever possible.

**SECTION 14: TRANSPORT INFORMATION**

**Land Transport U.S. DOT (All Sizes)**

<b>Proper Shipping Name:</b>	Not Regulated
<b>Hazard Class:</b>	Not Regulated
<b>UN Number:</b>	Not Applicable
<b>Packaging Group:</b>	Not Applicable
<b>Description of Goods:</b>	Not Applicable
<b>Maritime Transport IMDG:</b>	Not Applicable
<b>IMDG Class:</b>	Not Applicable
<b>UN Number:</b>	Not Applicable
<b>Label:</b>	Not Applicable
<b>Packaging Group:</b>	Not Applicable
<b>EMS Number:</b>	Not Applicable
<b>Marine Pollutant:</b>	Not Applicable
<b>Proper Shipping Name:</b>	Not Applicable
<b>Air Transport ICAO-TI and IATA-DGR:</b>	
<b>ICAO/IATA Class:</b>	Not Applicable

UN/ID Number: Not Applicable  
 Label: Not Applicable  
 Packaging Group: Not Applicable  
 Proper Shipping Name: Not Applicable

**SECTION 15: REGULATORY INFORMATION**

**Additional Regulatory Information:**

**UNITED STATES:**

**Toxic Substances Control Act (TSCA) Inventory of Existing Chemical Substances:** None

**Superfund Amendments and Reauthorization Act (SARA) Title III:**

**Hazard Categories Sections 311/312 (40 CFR 370.2):** Health: None  
Physical: None

**Emergency Planning & Community Right to Know (40 CFR 355, App. A):**


**Extremely Hazardous Substance Section 302 - Threshold Planning Quantity:** N/A

**Reportable Quantity (40 CFR 302.4):** N/A

**California Right-to-Know Regulations (Prop. 65):** None

**SECTION 16: OTHER INFORMATION**

NFPA



HMIS

LONG SEXY HAIR – LUXURIOUS CONDITIONER	
HEALTH	1
FLAMMABILITY	0
REACTIVITY	0
PERSONAL PROTECTION	B

**HAZARD RATING SYSTEMS:** This information is for people trained in: National Paint & Coatings

Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection Association (NFPA 704) Identification of the Fire Hazards of Materials.

**NPCA-HMIS NFPA 704 KEY: NPCA-HMIS/NFPA 704**

HEALTH	1	0	4=Severe/Extreme
FLAMMABILITY	0	0	3=Serious/High
REACTIVITY	0	0	2=Moderate/Moderat
			1=Slight/Slight
			0=Minimal/Insignifica

## ADDITIONAL INFORMATION

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's

responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this SDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

### **EXPLANATION OF ABBREVIATIONS:**

CAS# - Chemical Abstract System No.

EINECS# - European Inventory of Existing Chemical Substance

DOT - Department of Transportation

IMDG - International Maritime

Dangerous Goods N/A - Not

Applicable

HMIS - Hazardous Material

Identification System NFPA -

National Fire Protection

Association

OSHA - Occupational Safety and Health

Administration EMS- Environmental

Management System

ICAO-TI - International Civil Aviation Organization Technical Instructions

IATA - DGR - International Air Transport Association Dangerous Goods

Regulations SARA - Superfund Amendments and Reauthorization Act

Title I, II, III

**DISCLAIMER** The information contained in this Safety Data Sheet is furnished without warranty of any kind, expressed or implied. Information in this Data Sheet has been assembled by the manufacturer based on its own studies and on the work of others, and is believed to be correct as of the date issued. However, no warranty of any kind is expressed or implied as to the accuracy, completeness, or adequacy of the information obtained herein. The manufacturer shall not be liable, regardless of fault, to the vendee, the vendee's employees, or anyone for any direct, special or consequential damages arising out of or in connection with the accuracy, completeness, or adequacy of the information herein. It is intended to assist in the normal safe usage of the product.

GENERAL INFORMATION:	
CAS No.	Chemical Abstract Service Number
EXPOSURE LIMITS IN AIR:	
ACGIH	American Conference on Governmental Industrial Hygienists
C	Ceiling Limit
ES	Exposure Standard (Australia)
IDLH	Immediately Dangerous to Life and Health
OSHA	U.S. Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
STEL	Short-Term Exposure Limit
TLV	Threshold Limit Value
TWA	Time Weighted Average

FIRST AID MEASURES:	
CPR	Cardiopulmonary resuscitation - method in which a person whose heart has stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the body.

HMIS-III HEALTH, FLAMMABILITY & REACTIVITY RATINGS:	
0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard

HEALTH
FLAMMABILITY
PHYSICAL HAZARDS
PERSONAL PROTECTION


PERSONAL PROTECTION RATINGS:	
A	
B	
C	
D	
E	
F	

Safety Glasses	Splash Goggles	Face Shield & Protective Eyewear	Gloves
Boots	Synthetic Apron	Protective Clothing & Full Suit	Dust Respirator
Full Face Respirator	Dust & Vapor Half-Mask Respirator	Full Face Respirator	Airline Hood/Mask or SCBA

OTHER STANDARD ABBREVIATIONS:	
ML	Maximum Limit
mg/m3	milligrams per cubic meter
NA	Not Available
ND	Not Determined
NE	Not Established
NF	Not Found
NR	No Results
ppm	parts per million
SCBA	Self-Contained Breathing Apparatus

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA	
FLAMMABILITY LIMITS IN AIR:	
Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source

HAZARD RATINGS:	
0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
W	Use No Water
OX	Oxidizer
TREFOIL	Radioactive



TOXICOLOGICAL INFORMATION:	
LD <sub>50</sub>	Lethal Dose (solids & liquids) w/s
LC <sub>50</sub>	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD <sub>01</sub>	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD <sub>01</sub> , LD <sub>01</sub> & LD <sub>01</sub> or TC, TC <sub>01</sub> , LC <sub>01</sub> & LC <sub>01</sub>	Lowest dose (or concentration) to cause lethal or toxic effects
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TL <sub>m</sub>	Median threshold limit
log K <sub>OW</sub> or log K <sub>OC</sub>	Coefficient of Oil/Water Distribution

REGULATORY INFORMATION:	
WHMIS	Canadian Workplace Hazardous Material Information System
DOT	U.S. Department of Transportation
TC	Transport Canada
EPA	U.S. Environmental Protection Agency
DSL	Canadian Domestic Substance List
NOHSC	National Occupational Health and Safety Commission (Australia)
NDSL	Canadian Non-Domestic Substance List
PSL	Canadian Priority Substances List
TSCA	U.S. Toxic Substance Control Act
EU	European Union (European Union Directive 67/548/EEC)
WGK	Wassergefährdungsklassen (German Water Hazard Class)
HMIS-III	National Paint & Coatings Association Hazardous Materials Identification System

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:							
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

EC (67/548/EEC) INFORMATION:							
C	E	F	N	O	T	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

CLP/GHS (1272/2008/EC) PICTOGRAMS:								
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment