



Safety Data Sheet

Healthy Sexy Hair Conditioner

SECTION 1: IDENTIFICATION

SDS FIRST PREPARATION DATE: June 28, 2017

FORMULA: B17-045I

GENERIC/CHEMICAL NAME: N/A

PRODUCT TYPE/CHEMICAL FAMILY: Personal Care Product

PRODUCT CODE: SXY-008 REV-00

SYNONYMS: SEXY HAIR – HEALTHY SEXY HAIR CONDITIONER

CONTACT ADDRESS: Sexy Hair Concepts, LLC. 21551 Prairie St. Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:

Chemtel – 1-800-255-3924

International – 00-1-813979-0626

SECTION 2: HAZARDS IDENTIFICATION

Hazard Classifications:	None
Pictograms:	None
Precautionary Statements:	None
Percent of the mixture consisting of ingredient(s) of unknown toxicity:	N/A

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Designation (INCI)	% Composition	CAS	EINECS
Aqua (Water, Eau)	≤ 83.00	7732-18-5	231-791-2
Behentrimonium Chloride	1-5	17301-53-0	241-327-0
Stearyl Alcohol	1-5	112-92-5	204-017-6
Dimethicone	1-5	107-52-8	205-491-7
Isopropyl Alcohol	1-5	67-63-0	200-661-7
Stearamidopropyl Dimethylamine	1-5	20182-63-2	231-609-1
Glycerin	1-5	56-81-5	200-289-5
Cetyl Alcohol	1-5	36653-82-4	253-149-0
Fragrance	0.100-1.00	N/A	N/A
Trade Secret	0.010-1.00	N/A	N/A

SECTION 4: FIRST AID MEASURES

Eyes:

If irritation or redness due to vapors develops, move victim away from exposure and into fresh air. If material gets into the eyes, flush eyes immediately with clean water for at least 15 minutes. If available, use eye-cups or eye wash fountain. If symptoms persist, get medical attention.

Skin:

If irritation develops / persists, get medical attention.

Inhalation:

If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, get medical attention. If victim is not breathing immediately begin artificial respiration. Get medical attention.

Ingestion:

Product is not likely to be ingested. If this occurs, treat systematically. Never give fluids or induce vomiting if the victim is unconscious or having convulsions.

SECTION 5: FIRE FIGHTING MEASURES

Fire Hazard:	Material may be ignited, for example in a fire. Relative hazard is anticipated to be the same as typical combustible materials. Use foam, carbon dioxide, and dry chemical or water spray when fighting fires.
Flash Point F(C):	N/A
Flammable Limits:	Product is not known to be flammable, combustible or explosive.
Extinguishing Media:	Use foam, carbon dioxide, and dry chemical or water spray when fighting fires
Special protective Equipment and firefighting procedures:	In case of fire, use normal firefighting equipment including a NIOSH approved self- contained breathing apparatus (SCBA). Use water to cool containers
Unusual Fire & Explosion:	N/A

SECTION 6: ACCIDENTIAL RELEASE MEASURES

Personal

Precautions: See Section 8

Spills/ Leaks:

SPILL ON LAND (LARGE SPILL): Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Minimize breathing of vapors and skin contact. Ventilate confined spaces. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses, or low areas. Contain spilled material with sand or earth. Do not use combustible materials such as sawdust. Observe precautions for volatile, combustible vapors from absorbed material. For large spills implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

SPILL ON WATER (LARGE SPILL): Eliminate sources of ignition. Warn occupants and shipping in surrounding and downwind areas of fire and explosion hazard and request all to stay clear. Remove from surface by skimming or scooping up floating material. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

SMALL SPILLS: Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

SECTION 7: HANDLING AND STORAGE

Handling **STORAGE TEMPERATURE:** Ambient

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well-ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers.

Storage: **STORAGE TEMPERATURE:** Ambient

LOADING/UNLOADING TEMPERATURE: Ambient

STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well-ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limits:
OSHA Permissible Exposure Limits (PELs): N/A
Threshold Limit Values (TLVs): N/A
Engineering Controls: N/A

Personal Protective Equipment:

Face: None required.
Eyes: Not necessary, except as a good industrial practice.
Skin: Not necessary, except as a good industrial practice.
Respiratory: Not required.

Pictograms:



SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Opaque Semi-Viscous Liquid Lotion
Odor: Citrus Fresh
pH value @ 25°C: 4.00 – 5.00
Melting Point F(C): N/A
Freezing Point F(C): N/A
Boiling Point F(C): N/A
Boiling Range: N/A
Flash Point F(C): N/A
Upper Flammability/Explosive Limit: N/A
Lower Flammability/Explosive Limit: N/A
Vapor Pressure: N/A
Vapor Density: N/A
Vapor Temperature: N/A
Relative Density/Specific Gravity (@ 25°C): 0.97 – 1.01
Solubility: N/A
Partition Coefficient: N/A
Flash Point Method used: N/A
Evaporation Rate: N/A
Flammability: N/A
Auto-ignition temperature: N/A
Decomposition temperature: N/A
Viscosity (@ 25°C): 10,000 – 18,000 cps (RVD # TC @ 10 rpm)

SECTION 10: STABILITY AND REACTIVITY

Chemical Reactivity:	N/A
Chemical Stability:	Stable under normal conditions of storage and handling.
Conditions to Avoid:	Keep from freezing.
Materials to Avoid:	None known.
Hazardous Decomposition:	Will not occur.

SECTION 11: TOXICOLOGICAL INFORMATION

Inhalation

Description of effects from short- and long-term exposure:

Not known

Description of symptoms:

Not known

Measure of toxicity:

Not known

Ingestion

Description of effects from short- and long-term exposure:

Not known

Description of symptoms:

Not known

Measure of toxicity:

Not known

Eyes

Description of effects from short- and long-term exposure:

Not known

Description of symptoms:

Not known

Measure of toxicity:

Not Known

Skin

Description of effects from short- and long-term exposure:

Not known

Description of symptoms:

Not known

Measure of toxicity:

Not known

Carcinogens Listing:

NTP:

Not Available

IARC:

Not Available

OSHA:

Not Available

GHS:

Not Available

Chronic Toxicity:

Not Available

SECTION 12: ECOLOGICAL INFORMATION

Aquatic Toxicity: Not Available

Biodegradability: Not Available

Bioaccumulation: Not Available

SECTION 13: DISPOSAL CONSIDERATIONS

All recovered material should be packaged, labeled, transported, disposed, and reclaimed in conformance with local, county, state, and federal regulations. May be disposed of by controlled incineration. Do not contaminate any lakes, streams, ponds, or underground water supplies.

Empty containers may be disposed of as normal refuse. Recycle whenever possible.

SECTION 14: TRANSPORT INFORMATION

Land Transport U.S. DOT (All Sizes)

Proper Shipping Name:	Not Regulated
Hazard Class:	Not Regulated
UN Number:	Not Applicable
Packaging Group:	Not Applicable
Description of Goods:	Not Applicable
Maritime Transport IMDG:	Not Applicable
IMDG Class:	Not Applicable
UN Number:	Not Applicable
Label:	Not Applicable
Packaging Group:	Not Applicable
EMS Number:	Not Applicable
Marine Pollutant:	Not Applicable
Proper Shipping Name:	Not Applicable

Air Transport ICAO-TI and IATA-DGR:

ICAO/IATA Class:	Not Applicable
UN/ID Number:	Not Applicable
Label:	Not Applicable
Packaging Group:	Not Applicable
Proper Shipping Name:	Not Applicable

SECTION 15: REGULATORY INFORMATION

Additional Regulatory Information:

UNITED STATES:

Toxic Substances Control Act (TSCA) Inventory of Existing Chemical Substances: None

Superfund Amendments and Reauthorization Act (SARA) Title III:

Hazard Categories Sections 311/312 (40 CFR 370.2): Health: None
Physical: None

Emergency Planning & Community Right to Know (40 CFR 355, App. A):

Extremely Hazardous Substance Section 302 - Threshold Planning Quantity: N/A

Reportable Quantity (40 CFR 302.4): N/A

California Right-to-Know Regulations (Prop. 65): None

SECTION 16: OTHER INFORMATION



HMIS

HEALTHY SEXY HAIR CONDITIONER	
HEALTH	1
FLAMMABILITY	0
REACTIVITY	0
PERSONAL PROTECTION	B

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings

Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection Association (NFPA 704) Identification of the Fire Hazards of Materials.

NPCA-HMIS NFPA 704 KEY: NPCA-HMIS/NFPA 704

HEALTH	1	0	4=Severe/Extreme
FLAMMABILITY	0	0	3=Serious/High
REACTIVITY	0	0	2=Moderate/Moderate
			1=Slight/Slight
			0=Minimal/Insignificant

ADDITIONAL INFORMATION

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this SDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

CAS# - Chemical Abstract System No.

EINECS# - European Inventory of Existing Chemical Substance

DOT - Department of Transportation

IMDG - International Maritime Dangerous Goods

N/A - Not Applicable

HMIS - Hazardous Material Identification System

NFPA - National Fire Protection Association

OSHA - Occupational Safety and Health Administration

EMS- Environmental Management System

ICAO-TI - International Civil Aviation Organization Technical Instructions

IATA - DGR - International Air Transport Association Dangerous Goods Regulations

SARA - Superfund Amendments and Reauthorization Act Title I, II, III

The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. Sexy Hair Concepts, LLC makes no expressed or implied warranty of merchantability or fitness for a particular purpose of course of performance or usage of trade.

DISCLAIMER This SDS is intended to provide a brief summary of our knowledge and guidance regarding the use of this material. The information contained here has been compiled from sources considered by Sexy Hair Concepts, LLC to be dependable and is accurate to the best of the company's knowledge. The information is offered in good faith. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage, or release to the environment. Sexy Hair Concepts, LLC assumes no responsibility for injury to the recipient or third persons, or for any damage to any property resulting from misuse of the product.

Due to remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, Sexy Hair Concepts, LLC makes no representations as to its completeness or accuracy. Information obtained from a database may not be as current as the information in the SDS available directly from Sexy Hair Concepts, LLC.

GENERAL INFORMATION:																									
CAS No.	Chemical Abstract Service Number																								
EXPOSURE LIMITS IN AIR:																									
ACGIH	American Conference on Governmental Industrial Hygienists																								
C	Ceiling Limit																								
ES	Exposure Standard (Australia)																								
IDLH	Immediately Dangerous to Life and Health																								
OSHA	U.S. Occupational Safety and Health Administration																								
PEL	Permissible Exposure Limit																								
STEL	Short-Term Exposure Limit																								
TLV	Threshold Limit Value																								
TWA	Time Weighted Average																								
FIRST AID MEASURES:																									
CPR	Cardiopulmonary resuscitation - method in which a person whose heart has stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the body.																								
HMS-III HEALTH, FLAMMABILITY & REACTIVITY RATINGS:																									
0	Minimal Hazard																								
1	Slight Hazard																								
2	Moderate Hazard																								
3	Severe Hazard																								
4	Extreme Hazard																								
<table border="1"> <tr><td>HEALTH</td></tr> <tr><td>FLAMMABILITY</td></tr> <tr><td>PHYSICAL HAZARDS</td></tr> <tr><td>PERSONAL PROTECTION</td></tr> </table>		HEALTH	FLAMMABILITY	PHYSICAL HAZARDS	PERSONAL PROTECTION																				
HEALTH																									
FLAMMABILITY																									
PHYSICAL HAZARDS																									
PERSONAL PROTECTION																									
PERSONAL PROTECTION RATINGS:																									
A																									
B																									
C																									
D																									
E																									
F																									
G																									
H																									
I																									
J																									
K																									
X	Consult your supervisor or SOPs for special handling directions.																								
<table border="1"> <tr> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Safety Glasses</td> <td>Splash Goggles</td> <td>Face Shield & Protective Eyewear</td> <td>Gloves</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Boots</td> <td>Synthetic Apron</td> <td>Protective Clothing & Full Suit</td> <td>Dust Respirator</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Full Face Respirator</td> <td>Dust & Vapor Half-Mask Respirator</td> <td>Full Face Respirator</td> <td>Airline Hood/Mask or SCBA</td> </tr> </table>						Safety Glasses	Splash Goggles	Face Shield & Protective Eyewear	Gloves					Boots	Synthetic Apron	Protective Clothing & Full Suit	Dust Respirator					Full Face Respirator	Dust & Vapor Half-Mask Respirator	Full Face Respirator	Airline Hood/Mask or SCBA
Safety Glasses	Splash Goggles	Face Shield & Protective Eyewear	Gloves																						
Boots	Synthetic Apron	Protective Clothing & Full Suit	Dust Respirator																						
Full Face Respirator	Dust & Vapor Half-Mask Respirator	Full Face Respirator	Airline Hood/Mask or SCBA																						
OTHER STANDARD ABBREVIATIONS:																									
ML	Maximum Limit																								
mg/m ³	milligrams per cubic meter																								
NA	Not Available																								
ND	Not Determined																								
NE	Not Established																								
NF	Not Found																								
NR	No Results																								
ppm	parts per million																								
SCBA	Self-Contained Breathing Apparatus																								
NATIONAL FIRE PROTECTION ASSOCIATION: NFPA																									
FLAMMABILITY LIMITS IN AIR:																									
Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition																								
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source																								
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source																								

HAZARD RATINGS:								
0	Minimal Hazard							
1	Slight Hazard							
2	Moderate Hazard							
3	Severe Hazard							
4	Extreme Hazard							
ACD	Acidic							
ALK	Alkaline							
COR	Corrosive							
W	Use No Water							
OX	Oxidizer							
TREFOIL	Radioactive							
TOXICOLOGICAL INFORMATION:								
LD ₅₀	Lethal Dose (solids & liquids) w/s							
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal							
ppm	Concentration expressed in parts of material per million parts							
TD ₀₁	Lowest dose to cause a symptom							
TCLo	Lowest concentration to cause a symptom							
TD ₀₁ , LD ₀₁ , & LD ₀₁ , or TC, TC ₀₁ , LC ₀₁ , & LC ₀₁	Lowest dose (or concentration) to cause lethal or toxic effects							
IARC	International Agency for Research on Cancer							
NTP	National Toxicology Program							
RTECS	Registry of Toxic Effects of Chemical Substances							
BCF	Bioconcentration Factor							
TL _m	Median threshold limit							
log K _{ow} or log K _{oc}	Coefficient of Oil/Water Distribution							
REGULATORY INFORMATION:								
WHMIS	Canadian Workplace Hazardous Material Information System							
DOT	U.S. Department of Transportation							
TC	Transport Canada							
EPA	U.S. Environmental Protection Agency							
DSL	Canadian Domestic Substance List							
NOHSC	National Occupational Health and Safety Commission (Australia)							
NDSL	Canadian Non-Domestic Substance List							
PSL	Canadian Priority Substances List							
TSCA	U.S. Toxic Substance Control Act							
EU	European Union (European Union Directive 67/548/EEC)							
WGK	Wassergefährdungsklassen (German Water Hazard Class)							
HMS-III	National Paint & Coatings Association Hazardous Materials Identification System							
WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:								
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F	
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive	
EC (67/548/EEC) INFORMATION:								
C	E	F	N	O	T	Xi	Xn	
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful	
CLP/GHS (1272/2008/EC) PICTOGRAMS:								
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment